

The Delphion
Integrated
View

Other Views:

[INPADOC](#) | [Derwent...](#)

Title: **JP1263910A2: PERPENDICULAR MAGNETIC RECORDING MEDIUM AND MAGNETIC DISK DEVICE**

Country: JP Japan
Kind: A

Inventor(s): MATSUDA YOSHIFUMI
SHIROISHI YOSHIHIRO
HISHIYAMA SADAQ
SUZUKI HIROYUKI
OONO TADAYUKI
SAITO SHINICHIRO
TAKAGI KAZUMASA

Applicant/Assignee: HITACHI LTD
[News, Profiles, Stocks and More about this company](#)

Issued/Filed Dates: Oct. 20, 1989 / April 13, 1988

Application Number: JP1988000089058

IPC Class: [G11B 5/66](#); [G11B 5/704](#); [G11B 5/706](#);

Priority Number(s): April 13, 1988 JP1988000089058

Abstract:

Purpose: To improve magnetic characteristics and adhesiveness so as to obtain a high recording density and to improve reliability by using intermediate layers of a Ti-alloy contg. specific elements in addition to Ti as nonmagnetic intermediate layers.


Constitution: The thin films added with at least one kind of the element selected from the group consisting of V, Nb, Ta, Cr, Mo, W, Mn, Ni, Pd, Pt, Cu, Ag, Au, C, Si, Ge, Ru, Os, Rh, and Ir are used for the intermediate layers 13, 13' of the Ti-base alloy of the perpendicular magnetic recording medium provided with the intermediate layers 13, 13' of the Ti-base alloy between hexagonal magnetic alloy layers 14, 14' and a nonmagnetic substrate 11. The c-axis orientational property and magnetic characteristics of the hexagonal magnetic alloy layers 14, 14' are thereby greatly improved and the magnetic disk and device having the good recording and reproducing characteristics and reliability are thereby obtd.

COPYRIGHT: (C)1989,JPO&Japio

Family: [Show known family members](#)

Other Abstract Info: DERABS C89-352475 DERC89-352475

Foreign References: No patents reference this one



[View](#)
[Image](#)

1 page



[Nominate this for the Gallery...](#)



(19)

(11) Publication number: 0126391

Generated Document.

PATENT ABSTRACTS OF JAPAN

(21) Application number: 63089058

(51) Intl. Cl.: G11B 5/66 G11B 5/704 G11B 5/706

(22) Application date: 13.04.88

(30) Priority:

(43) Date of application
publication: 20.10.89

(84) Designated contracting
states:

(71) Applicant: HITACHI LTD

(72) Inventor: MATSUDA YOSHIFUMI
SHIROISHI YOSHIHIRO
HISHIYAMA SADAOK
SUZUKI HIROYUKI
OONO TADAYUKI
SAITO SHINICHIRO
TAKAGI KAZUMASA


(74) Representative:

(54) PERPENDICULAR MAGNETIC RECORDING MEDIUM AND MAGNETIC DISK DEVICE

(57) Abstract:

PURPOSE: To improve magnetic characteristics and adhesiveness so as to obtain a high recording density and to improve reliability by using intermediate layers of a Ti-alloy contg. specific elements in addition to Ti as nonmagnetic intermediate layers.

CONSTITUTION: The thin films added with at least one kind of the element selected from the group consisting of V, Nb, Ta, Cr, Mo, W, Mn, Ni, Pd, Pt, Cu, Ag, Au, C, Si, Ge, Ru, Os, Rh, and Ir are used for the intermediate layers 13, 13' of the Ti-base alloy of the perpendicular magnetic recording medium provided with the intermediate layers 13, 13' of the Ti-base alloy between hexagonal magnetic alloy layers 14, 14' and a nonmagnetic substrate 11. The c-axis orientational property and magnetic characteristics of the hexagonal magnetic alloy layers 14, 14' are thereby greatly improved and the



...magnetic disk and other magnetic
good recording and reproducing
characteristics and reliability are
thereby obtd.

COPYRIGHT: (C)1989,JPO&Japio